UTTARPARA KOTRUNG MUNICIPALITY

NDER FORM NO -001/MSMK/01

Phone No: 26633863/7298

Email:-uttarparakotrungmunicipality@gmail.com Website - www.uttarparamunicipality.in

NIT NO -001 /MSMK/2020 Memo No -1/227 Date-14.01.2020 Date-14.01.2020

NOTICE INVITING TENDER for "Purchase, Commissioning and Installation of Temporary Pacemaker" as required in Uttarpara Kotrung Municipality.

Name of the Work – Purchase, Commissioning and Installation of Temporary Pacemaker" Fund to be utilised – Mahamaya Fund/Municipality Own Fund/14th Finance.

The Chairman, Uttarpara Kotrung Municipality invites tender in two bid system to Purchase, Commissioning and installation of Temporary Pacemaker (detailed specification of the item is enclosed herewith) in Uttarpara Kotrung Municipality. Necessary earnest money to be submitted for participation in the Tender through Demand Draft/Pay order is appended in the table below:

In favour of	Earnest money	
The Chairman,	Rs 3000.00	
Uttarpara Kotrung Municipality.		

List of Items to be procured or Works to be executed:

SI . No	Nature of Work	Specifications	Remarks
1.	Purchase, Commissioning and installation of Temporary Pacemaker	Specification of the product /goods is attached herewith.	

General Instructions:

Cost of Tender Paper: The person intending to participate in the tender may obtain the tender form from Uttarpara Kotrung Municipality during office hours from 14.01.20120 to 27.012020 till 05.00 pm on payment of Rs 200/- (Two hundred)only in cash deposited in the cash section of Uttarpara Kotrung Municipality. No downloaded form will be accepted.

2. Submission of Tender: Critical Date:-

SI. No	Particulars	Date & Time
01	Date and Uploading of NIT & Other Documents	14/01/2020
02	Last date of purchasing of Bid document	24/01/2020
03	Last date of submission of Bid	27/01/2020 (up to 4.00pm)
04	Date and time of opening of Bid	27/01/2020 (5.00pm)

Opening of Tender: Tender will be opened on 27.01.2020 at 05.00 pm. Interested bidder may remain present during opening of Tender document.

Eligibility criterion for participating in the tender process:-

	Demand Draft/Pay order of Rs 3000(Three thousand)- in favour of <i>Chairman</i> , <i>Uttarpara Kotrung Municipality</i> issued from any nationalized bank/scheduled bank in India and payable at Uttarpara, Hooghly.
Α	
В	Check List in the prescribed format
С	Application in the prescribed format given in Annexure I
D	Income Tax Returns for the last quarter for the Financial year 2018-19
E	Financial Statement for the year 2018-19 (P/L & Balance Sheet)
F	Photocopy of Pan Card.
G	Photocopy of a Valid Trade License related with the works.
Н	Photocopy of GST Registration Certificate.
I	Photocopy of up to date Professional Tax challan.
J	Certification/Technical Compliance/ Brochure
K	Document related with credential against execution of same nature of Work.

5. Evaluation of the tenders

During the tender evaluation process, the "Bid A" will be opened first. The qualified Tenderer will be identified and only their "Bid B" i.e. Financial bid will be opened. The "Bid B" of those Tenderer failing to meet the technical & other requirements of participating in the tender will not be opened at all and will be rejected. The Tenderer offering the item found suitable and being as per the tender specifications will only be selected.

The Tenderer who have been so identified to have been technically suitable in the context of above will be deemed to have passed the test of essential and other requirement of the quoted item or items.

The "Bid B" (Financial Bids) of only these tenderers passing the essential and other requirement test will be opened then subject to verification of hard copies of the above mentioned documents as mentioned in point 4 (SI -A to K), the Tenderer quoting the lowest rate will be considered as successful.

Bid - "A" comprises with the document/paper as mentioned in Sl. no 4 (A to K) & Annexure -I and Bid -"B" comprises with the Quotation Form.

Cost of Earnest Money:

Each tender has to submit, unless exempted under the existing orders of the West Bengal Govt. must deposit Earnest Money in the form of Demand Draft/Pay order from any Nationalized Bank/scheduled bank for Rs. 3,000 (Three Thousand) only irrespective of the items quoted.

The onus of proving that a Tenderer is exempted from Earnest Money will lie on the Tenderer and must be proved by submission of valid documents. The earnest money of the Tenderer will liable to be forfeited if the Tenderer withdraws his tender as a whole or for any particular item or items at any stage after the opening of the tender, or fails / refuses to enter into written agreement for any of all of the items of his accepted tender within the time specified when requested to do so/fails to furnish Performance Bank Guarantee within the stipulated time.

The Earnest Money will be refunded after finalization of the tender or within 1 (one) month from the date of opening of tender whichever is later against the specific prayer of Tenderer.

7. Deduction of Security Deposit:

Deduction of Security Deposit will not be applicable in this case.

8. RATE:

The price is to be quoted in Indian Rupees including cost of transportation, GST, and others both in figure and in words.

9. ORDER & SUPPLY:

Orders for the supply of the approved products will be placed with the successful tenderers after the execution of the agreements, and such supply shall have to be made in such instalments as may be fixed or spread over a period to be specified in the supply orders to be made in pursuance of the agreements. The successful tenderer will have to supply within the specified time schedule that had been assured at the time

10. WITHDRAWAL /CANCELLATION & PURCHASE POLICY OF TENDERING AUTHORITY:

The tendering authority reserves the right to withdraw any item from the tender at any stage. The selection of such item, if already made in favour of any Tenderer, shall be treated as cancelled. The tendering authority reserves the right to reject or accept any tender or part thereof at any stage or to split any tender without assigning any reason. Withdrawal of tender or any revision after submission of tender by the Tenderer will not be allowed.

Purchase will, however be made following the existing purchase policy of the Govt of West Bengal and its amendment(s) made from time to time. The purchase policy of the State Government as provided in the West Bengal Financial Rules should be observed accordingly. The policy of price preference in particular cases, as incorporated under Notification No. 5400-F dated 25.06.2012 should be observed in considering the tenders.

11. Others condition including Period of defect liability:

The successful bidder/supplier should supply and install (including fitting &fixing) the articles in the earmarked place as specified by the authority. The successful bidder/supplier would have to provide necessary technical support/expertise training to the staffs for a reasonable period, to run the equipment accordingly. At the same time agreement paper ,warranty related documents of the articles, Installation certificate etc. be provided at the time of installation. The defect liability period for the said items is1(one) year from the date of installation. Security deposit lying with the Tenderer be refunded after expiry of defect liability period.

Total 17 Pgs

UTTARPARA-KOTRUNG MUNICIPALITY

12. PAYMENT TERMS:

Payment will be made through e payment system through ECS/RECS/RTGS/Cheque after execution On being as ordered subject to:

On being selected, the successful vendors will have to submit one application to The Chairman, Uttarpara Kotrung Municipality. Stating the name of the payee/recipient, Bank account no with MICR code, IFSC of No. 2012.

No manual payment is allowed to be made as far as practicable.

The Tender Selection Committee reserves the right to cancel the N.I.T. without citing any reason thereto and no claim in this respect will be entertained.

Chairman Uttarpara Kotrung Municipality

Memo No. 1 | 227 (5)

Date-14.01.2020

Copy Forwarded for information to:-

- 1. EO, UKM
- 2. FO ,UKM
- 3.Acting Medical Superintendent, MSMK
- 4. The District Information & Cultural Officer, Hooghly,

5. Notice Board, Uttarpara Kotrung Municipality

Uttarpara Kotrung Municipality

New G. T. Road, Uttarpara, Dist. Hooghly (West Bengal), Pin - 712 258

Visit us at - www.uttarparamunicipality.in

Mail us at - uttarparakotrungmunicipality@gmail.com

Tele: 2663 4095 / 7298 / 3863 Telefax: 2663 3863 / 7298

FORMAT FOR CHECK LIST

Sl. no	Items		Pl mark √	
				no
1.	Demand Draft/Pay order of Rs 3000/- in favour of Chairman	Yes	No	-
	nationalized bank/scheduled bank in India and payable at Uttarpara, Hooghly.			
2.	Check List in the prescribed format			
3.	Application in the prescribed format given in Annexure I			
4.	Income Tax Returns for the last quarter for the Financial year 2018-19			
5.	Financial Statement for the year 2018-19 (P/L & Balance Sheet)			
6.	Photocopy of Pan Card			
7.	Photocopy of a Valid Trade License related with the works.		-	
8.	Photocopy of GST Registration Certificate.			
9.	Photocopy of up to date Professional Tax challan.			
10.	Certification/Technical Compliance/ Brochure			
11.	Document related with credential of against execution of same nature of Work.			

Annexure I APPLICATION FORMAT

(To be furnished in the Company's official letter pad with full address and contact no etc)

Chairman

Uttapara Kotrung Municipality Uttarpara, Hoghly

Sub: NIT for Supply of Various items for The Chairman, Uttapara Kotrung Municipality

-	٠		
•	1	*	
9	1		

Having examined the relevant documents published in the N.I.T, I /we hereby submit all the necessary information and relevant documents for evaluation:

- 1. I/We accept the terms and conditions as laid down in the NIT mentioned above and declare that we shall abide by it for throughout the tender period.
- 2. I/We are offering rate for the following item /items and assured supply to Uttapara Kotrung Municipality. 3.
- I/We propose that the order and bill should be raised in my/our name. (a)

For liaisoning, we have appointed having its office at address) as C&F agent /Liaisoner /Contact person/...... Others (strike out whichever is not applicable).

I/We propose that order and bill should be raised in favour of my /our authorized distributor. For b. that purpose, we have appointed M/S having its office at who will receive order and payment in his name on our behalf.

The agreement between myself ourselves and the distributor/C&F/Liaisoner& other documents as prescribed is attached in annexure III

In the event of being selected, supply will be made within the stipulated period excepting the condition which is beyond our control.

I/We understand that:

- (a) Tender Selection Committee can amend the scope & value of the contract bid under this project.
- (b) Tender Selection Committee/ reserves the right to reject any application without assigning any reason;

Date :-

Signature of applicant including title and capacity in which application is made.

Contact no:

Tele:

Mobile:

E Mail address:

CIFICATIONS OF TEMPORARY PACEMAKER:-

Pechnical Data

symbols	
	Follow the instructions for use in the technical manual.
HEC 6LR61 / 9V	Indication of the placement of the battery in the compartment
Ø	Disposal according to the WEEE directive
*	Appliedpartclassification:CF (cardiacfloating), defibrillation pro- tected
IP31	Water-repellent, protection degree IP31
OFF	Off (on the Mode dial)

Adjustable parameters	AND RESIDENCE OF THE PARTY OF T	And the second s	
Pacing modes	S00, SSI, SST		
Basic rate	(30 250 ppm) ± 1 ppm	Atarateof ☐ 180ppmawarning tone isemitted	
Pulse amplitude	0.1 17 V ± max. (50 mV, 10%)	Atapulseamplitudeof 1Va warningtone is emitted	
Sensitivity	1 20 mV ± 15%	Withrespect to 40 mssin² pulse	
Burst rate (A)	(60 1000 ppm) ± 20 ppm	1	
Fixed parameters	April 18 The Control of the Control		
Pulse width	1 ms ± 5%	SALISMA NOT PARK MAINT A AND GOOD AS	
Auto short after pace	< 20 ms ± 10%		
Interference interval	80 ms ± 5 ms		
In channel blanking	110 ms ± 3 ms		
Refractory period (30 150) ppm (151200)ppm (201250)ppm	225ms±5ms 200ms±5ms 175ms±5ms		
Upper rate	260 ppm ± 10%		
Fixed parameters			
High rate protection 1 180 ppm 286ms±10% 181 250 ppm 214ms±10%		286ms=210ppm,doesnotapply for Burst 214ms=280ppm,doesnotapply for Burst	
Pulse waveform	Asymmetric, biphasic	20 Table 20	
Lead impedance monitor	ning	Children Hallents	
Acoustic warning	Above 2000 Ω 🗆 15%, at 5 V ar	nplitude	
Lead connection	Touch-proof2-mmconnectorports; Redel port, 6-pin via Redel adapter		
Electrical data/battery	TARREST MARKET CONTROL OF THE SECTION OF THE SECTIO	第二十二章是《阿拉里图》	

dtion /	0 0 6.10		
Mic Enterpre	Alkaline-manganesetype: IEC 6LR61/ANSI 1604A 9 Vleak-proof E.g. MN1604 Duracell® Procell®a)		
	Cathodic		
Polarity protection	None: Polarity is irrelevant Typically 1 mA (70 ppm, 5.0 V, 500 Ω)		
Power consumption			
Power consumption Service time with new bat-	600 h (-10%) at 20°C (± 2°C) At: 70 ppm, 5 V, mode VVI, 500 ohm Until: ERI signal (EOS warning)		
End of service (EOS)	Flashing "Low battery" LED		
Remaining service time after ERI signal ^{b)}	 36 hours At: 70 ppm, 5 V, mode VVI, 500 ohm 		
Behavior during battery exchange	Device remains ready for use for at least 30 swhen the battery is removed. The set Mode is retained.		

Registered trademark of Duracell Inc., Bethel, CT 06801

b) When using the battery type MN 1604 Duracell®, Procell®

Ambient conditions			
Temperature range for operation		+10°C +40°C	
Temperature range for storage		0°C +50°C	
Relative humidity	COMMISSION AND THE TOTAL PROPERTY OF STREET, AND THE PARTY	30% 75%, non-condensing	
Atmospheric pressure	Martine and the control of the second code and	700 hPa 1060 hPa	
Noise level		50 dB	
Dimensions, weight, materia	al		
Reocor S dimensions	160 mm x 75 mm x 35 mm ±2 mm (without Redel adapter)		
Reocor S weight	With battery, with Redel adapter: 305 g ± 10%		
	Without battery, with Redel adapter: 260 g ± 10%		
	Without battery, without Redel adapter: 225 g ± 10%		
DimensionsoftheRedel adapterforReocorS	76 mm x 35.5 mm x 29.4 mm		
WeightofRedeladapterfor Reocor S	35 g ± 10%		
Housing material	Babyblend FR 3000 (PC-ABS)		
Classification			
Applied part classification	CF (cardiac floating), defibrillation protected		
Safety class	IIb		
Protection degree	IP31 (water-repellent)		
Defibrillation-proof level	5 kV		
Operating mode	Continuous operation		

Estimated service life^{a)} (according to 12 YEARS

EN 60601-1:2007, 4.4)

a) The service life describes the expected maximum operating life time of the device after distribution. The expected maximum operating life time is not supported by any test data.